



# MAJOR SOURCE OPERATING PERMIT

**PERMITTEE:** TAYLOR-WHARTON CRYOGENICS

FACILITY NAME: TAYLOR-WHARTON CRYOGENICS

FACILITY/PERMIT NO.: 503-0007

LOCATION: THEODORE, ALABAMA

In accordance with and subject to the provisions of the Alabama Air Pollution Control Act of 1971, as amended, <u>Ala. Code</u> 1975, §\$22-28-1 to 22-28-23 (2006 Rplc. Vol. and 2007 Cum. Supp.) (the "AAPCA") and the Alabama Environmental Management Act, as amended, <u>Ala. Code</u> 1975, §\$22-22A-1 to 22-22A-15, (2006 Rplc. Vol. and 2007 Cum. Supp.) and rules and regulations adopted thereunder, and subject further to the conditions set forth in this permit, the Permittee is hereby authorized to construct, install and use the equipment, device or other article described above.

Pursuant to the Clean Air Act of 1990, all conditions of this permit are federally enforceable by EPA, the Alabama Department of Environmental Management, and citizens in general. Those provisions which are not required under the Clean Air Act of 1990 are considered to be state permit provisions and are not federally enforceable by EPA and citizens in general. Those provisions are contained in separate sections of this permit.

**Issuance Date:** DRAFT

**Expiration Date:** January 3, 2015

#### TABLE OF CONTENTS

GENERAL PERMIT PROVISOS	3
SUMMARY PAGE FOR VAPOR DEGREASERS	14
PROVISOS FOR VAPOR DEGREASERS	15
Applicability	15
Emission Standards	15
Compliance and Performance Test Methods and Procedures	15
Emission Monitoring	15
Recordkeeping and Reporting Requirements	15
SUMMARY PAGE FOR SURFACE COATING OPERATIONS	16
PROVISOS FOR SURFACE COATING OPERATIONS	17
Applicability	17
Emission Standards	17
Compliance and Performance Test Methods and Procedures	17
Emission Monitoring	17
Recordkeeping and Reporting Requirements	17
SUMMARY PAGE FOR WHEELABRATOR SHOTBLAST	19
PROVISOS FOR WHEELABRATOR SHOTBLAST	20
Applicability	20
Emission Standards	20
Compliance and Performance Test Methods and Procedures	20
Emission Monitoring	20
Recordkeeping and Reporting Requirements	21

Fede	erally E	Enforceable Provisos	Regulations
1.	Tran	<u>sfer</u>	
	or ot piece	permit is not transferable, whether by operation of law herwise, either from one location to another, from one of equipment to another, or from one person to her, except as provided in Rule 335-3-1613(1)(a)5.	Rule 335-3-1602(6)
2.	Rene	ewals	
	six (6	pplication for permit renewal shall be submitted at least 6) months, but not more than eighteen (18) months, be the date of expiration of this permit.	Rule 335-3-1612(2)
	to op and o	source for which this permit is issued shall lose its right terate upon the expiration of this permit unless a timely complete renewal application has been submitted in the time constraints listed in the previous paragraph.	
3.	Seve	rability Clause	
	and in clause invaluation jurise invaluation confi	provisions of this permit are declared to be severable of any section, paragraph, subparagraph, subdivision, se, or phrase of this permit shall be adjudged to be id or unconstitutional by any court of competent diction, the judgment shall not affect, impair, or idate the remainder of this permit, but shall be ned in its operation to the section, paragraph, paragraph, subdivision, clause, or phrase of this permit shall be directly involved in the controversy in which judgment shall have been rendered.	Rule 335-3-1605(e)
4.	Com	<u>pliance</u>	
	(a)	The permittee shall comply with all conditions of ADEM Admin. Code 335-3. Noncompliance with this permit will constitute a violation of the Clean Air Act of 1990 and ADEM Admin. Code 335-3 and may result in an enforcement action; including but not limited to, permit termination, revocation and reissuance, or modification; or denial of a permit renewal application by the permittee.	Rule 335-3-1605(f)
	(b)	The permittee shall not use as a defense in an enforcement action that maintaining compliance with conditions of this permit would have required halting	Rule 335-3-1605(g)

Fed	erally Enforceable Provisos	Regulations
	or reducing the permitted activity.	
5.	<u>Termination for Cause</u>	
	This permit may be modified, revoked, reopened, and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance will not stay any permit condition.	Rule 335-3-1605(h)
6.	Property Rights	
	The issuance of this permit does not convey any property rights of any sort, or any exclusive privilege.	Rule 335-3-1605(i)
7.	Submission of Information	
	The permittee must submit to the Department, within 30 days or for such other reasonable time as the Department may set, any information that the Department may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit or to determine compliance with this permit. Upon receiving a specific request, the permittee shall also furnish to the Department copies of records required to be kept by this permit.	Rule 335-3-1605(j)
8.	Economic Incentives, Marketable Permits, and Emissions Trading	
	No permit revision shall be required, under any approved economic incentives, marketable permits, emissions trading and other similar programs or processes for changes that are provided for in this permit.	Rule 335-3-1605(k)
9.	Certification of Truth, Accuracy, and Completeness:	
	Any application form, report, test data, monitoring data, or compliance certification submitted pursuant to this permit shall contain certification by a responsible official of truth, accuracy, and completeness. This certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate and complete.	Rule 335-3-1607(a)

Fede	ederally Enforceable Provisos Regulations					
10.	Upon presentation of credentials and other documents as may be required by law, the permittee shall allow authorized representatives of the Alabama Department of Environmental Management and EPA to conduct the following:					
			Rule 335-3-1607(b)			
	(a)	Enter upon the permittee's premises where a source is located or emissions-related activity is conducted, or where records must be kept pursuant to the conditions of this permit;				
	(b)	Review and/or copy, at reasonable times, any records that must be kept pursuant to the conditions of this permit;				
	(c)	Inspect, at reasonable times, this facility's equipment (including monitoring equipment and air pollution control equipment), practices, or operations regulated or required pursuant to this permit;				
	(d)	Sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with this permit or other applicable requirements.				
11.	Compliance Provisions					
	(a)	The permittee shall continue to comply with the applicable requirements with which the company has certified that it is already in compliance.	Rule 335-3-1607(c)			
	(b)	The permittee shall comply in a timely manner with applicable requirements that become effective during the term of this permit.				
<b>12</b> .	Com	pliance Certification				
		impliance certification shall be submitted annually by $^{ m ch}$ $4^{ m th}$ of each year.	Rule 335-3-1607(e)			
	(a)	The compliance certification shall include the following:				
		(1) The identification of each term or condition of this permit that is the basis of the certification;				
		(2) The compliance status;				
		Page 5				

Fede	rally I	Enforce	Regulations	
		(3)	The method(s) used for determining the compliance status of the source, currently and over the reporting period consistent with Rule 335-3-1605(c) (Monitoring and Recordkeeping Requirements);	
		(4)	Whether compliance has been continuous or intermittent;	
		(5)	Such other facts as the Department may require to determine the compliance status of the source;	
	(b)	The o	compliance certification shall be submitted to:	
	Alab	oama D	Department of Environmental Management Air Division P.O. Box 301463 Montgomery, AL 36130-1463	
			and to:	
		Aiı	and EPCRA Enforcement Branch EPA Region IV 61 Forsyth Street, SW Atlanta, GA 30303	
13.	Reo	pening	for Cause	
		•	of the following circumstances, this permit will be rior to the expiration of the permit:	Rule 335-3-1613(5)
	(a)	Air A with years than appli requ	tional applicable requirements under the Clean act of 1990 become applicable to the permittee a remaining permit term of three (3) or more s. Such a reopening shall be completed not later eighteen (18) months after promulgation of the icable requirement. No such reopening is ired if the effective date of the requirement is than the date on which this permit is due to be.	
	(b)	requisoure soure by th	tional requirements (including excess emissions irements) become applicable to an affected ce under the acid rain program. Upon approval as Administrator, excess emissions offset plans be deemed to be incorporated into this permit.	

Fede	rally I	Enforce	eable Provisos	Regulations
	(c)	conta state	Department or EPA determines that this permit a material mistake or that inaccurate ments were made in establishing the emissions lards or other terms or conditions of this permit.	
	(d)	this p	Administrator or the Department determines that permit must be revised or revoked to assure cliance with the applicable requirements.	
14.	<u>Addi</u>	tional	Rules and Regulations	
	exist Rule	ing on t s and R	is issued on the basis of Rules and Regulations the date of issuance. In the event additional Regulations are adopted, it shall be the permit ponsibility to comply with such rules.	§22-28-16(d), Code of Alabama 1975, as amended
15.	<u>Equi</u>	pment	Maintenance or Breakdown	
	(a)	equip issue main equip twent shute the si	e case of shutdown of air pollution control oment (which operates pursuant to any permit d by the Director) for necessary scheduled tenance, the intent to shut down such oment shall be reported to the Director at least ty-four (24) hours prior to the planned down, unless such shutdown is accompanied by hutdown of the source which such equipment is ded to control. Such prior notice shall include, s not limited to the following:	Rule 335-3-107(1), (2)
		(1)	Identification of the specific facility to be taken out of service as well as its location and permit number;	
		(2)	The expected length of time that the air pollution control equipment will be out of service;	
		(3)	The nature and quantity of emissions of air contaminants likely to occur during the shutdown period;	
		(4)	Measures such as the use of off-shift labor and equipment that will be taken to minimize the length of the shutdown period;	
		(5)	The reasons that it would be impossible or impractical to shut down the source operation	

Fede	rally l	Enforce	Regulations	
			during the maintenance period.	
	(b)	or up is exp conta stand shall work pertine	e event that there is a breakdown of equipment oset of process in such a manner as to cause, or pected to cause, increased emissions of air aminants which are above an applicable dard, the person responsible for such equipment notify the Director within 24 hours or the next ing day and provide a statement giving all nent facts, including the estimated duration of breakdown. The Director shall be notified when breakdown has been corrected.	
16.	<u>Ope</u> :	ration (	of Capture and Control Devices	
	whice oper emission the a	ch this prated at assions of above e	tion control devices and capture systems for permit is issued shall be maintained and all times in a manner so as to minimize the of air contaminants. Procedures for ensuring that quipment is properly operated and maintained so hize the emission of air contaminants shall be	§22-28-16(d), Code of Alabama 1975, as amended
17.	<u>Obn</u>	oxious		
	obnoverif odor the	oxious of the court of the cour	is issued with the condition that, should odors arising from the plant operations be Air Division inspectors, measures to abate the issions shall be taken upon a determination by a Department of Environmental Management measures are technically and economically	Rule 335-3-108
18.	Fugitive Dust			
	(a)	emar	nating from plant roads, grounds, stockpiles, ens, dryers, hoppers, ductwork, etc.	Rule 335-3-402
	(b)	in the airbo follov	t or haul roads and grounds will be maintained to following manner so that dust will not become orne. A minimum of one, or a combination, of the wing methods shall be utilized to minimize orne dust from plant or haul roads and grounds:	
		(1)	By the application of water any time the surface of the road is sufficiently dry to allow the creation of dust emissions by the act of	

Feder	ally E	Enforce	eable Provisos	Regulations
			wind or vehicular traffic;	
		(2)	By reducing the speed of vehicular traffic to a point below that at which dust emissions are created;	
		(3)	By paving;	
		(4)	By the application of binders to the road surface at any time the road surface is found to allow the creation of dust emissions;	
	adeq and a exclusion contra Alter	uately ground isively rol tech native	e, or a combination, of the above methods fail to reduce airborne dust from plant or haul roads its, alternative methods shall be employed, either or in combination with one or all of the above aniques, so that dust will not become airborne. methods shall be approved by the Department dization.	
9.	<u>Addi</u>	tions	and Revisions	
	•		cations to this source shall comply with the n procedures in Rules 335-3-1613 or 335-3-16-	Rule 335-3-1613 an .14
20.	Reco	rdkee		
	(a)		ords of required monitoring information of the ce shall include the following:	Rule 335-3-1605(e)2
		(1)	The date, place, and time of all sampling or measurements;	
		(2)	The date analyses were performed;	
		(3)	The company or entity that performed the analyses;	
		(4)	The analytical techniques or methods used;	
		(5)	The results of all analyses; and	
		(6)	The operating conditions that existed at the time of sampling or measurement.	
	(b)	and	ntion of records of all required monitoring data support information of the source for a period of ast 5 years from the date of the monitoring	

Fede	rally l	Enforceable Provisos	Regulations
		sample, measurement, report, or application. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation and copies of all reports required by the permit	
21.	Rep	orting Requirements	
	(a)	Reports to the Department of any required monitoring shall be submitted at least every 6 months. All instances of deviations from permit requirements must be clearly identified in said reports. All required reports must be certified by a responsible official consistent with Rule 335-3-1604(9).	Rule 335-3-1605(c)3.
	(b)	Deviations from permit requirements shall be reported within 48 hours or 2 working day of such deviations, including those attributable to upset conditions as defined in the permit. The report will include the probable cause of said deviations, and any corrective actions or preventive measures that were taken.	
<b>22</b> .	<u>Emi</u>	ssion Testing Requirements	
	prov safet acco 40 o	n point of emission which requires testing will be ided with sampling ports, ladders, platforms, and other by equipment to facilitate testing performed in rdance with procedures established by Part 60 of Title f the Code of Federal Regulations, as the same may be inded or revised.	Rule 335-3-105(3) and Rule 335-3-1- .04(1)
	in ac subr	Air Division must be notified in writing at least 10 days dvance of all emission tests to be conducted and mitted as proof of compliance with the Department's air ution control rules and regulations.	
	proc	void problems concerning testing methods and edures, the following shall be included with the fication letter:	
	(1)	The date the test crew is expected to arrive, the date and time anticipated of the start of the first run, how many and which sources are to be tested, and the names of the persons and/or testing company that will conduct the tests.	Rule 335-3-104

Fede	rally l	Enforceable Provisos	Regulations	
	(2)	A complete description of each sampling train to be used, including type of media used in determining gas stream components, type of probe lining, type of filter media, and probe cleaning method and solvent to be used (if test procedures require probe cleaning).		
	(3)	A description of the process(es) to be tested including the feed rate, any operating parameters used to control or influence the operations, and the rated capacity.		
	(4)	A sketch or sketches showing sampling point locations and their relative positions to the nearest upstream and downstream gas flow disturbances.		
	own and	etest meeting may be held at the request of the source er or the Air Division. The necessity for such a meeting the required attendees will be determined on a case-by- basis.	Rule 335-3-104	
	30 d	est reports must be submitted to the Air Division within ays of the actual completion of the test unless an usion of time is specifically approved by the Air Division.		
<b>23</b> .	Payı	Payment of Emission Fees		
		ual emission fees shall be remitted each year according te fee schedule in ADEM Admin. Code R. 335-1-704.	Rule 335-1-704	
24.	<u>Oth</u>	er Reporting and Testing Requirements		
	fuel may pollu	mission of other reports regarding monitoring records, analyses, operating rates, and equipment malfunctions be required as authorized in the Department's air ation control rules and regulations. The Department require emission testing at any time.	Rule 335-3-104(1)	
<b>25</b> .	<u>Title</u>	e VI Requirements (Refrigerants)		
	inclu Clas 82, 3 and prac recy	facility having appliances or refrigeration equipment, ading air conditioning equipment, which use Class I or s II ozone-depleting substances as listed in 40 CFR Part Subpart A, Appendices A and B, shall service, repair, maintain such equipment according to the work tices, personnel certification requirements, and certified cling and recovery equipment specified in 40 CFR Part Subpart F.	335-3-1605(a)	

Fede	erally Enforceable Provisos Reg			Regulations
	Clas the r	s I or ( epair,	shall knowingly vent or otherwise release any Class II substance into the environment during servicing, maintenance, or disposal of any device provided in 40 CFR Part 82, Subpart F.	
	reco	respon rdkeep l be su ired.		
26.	Che	mical .	Accidental Prevention Provisions	
	If a chemical listed in Table 1 of 40 CFR Part 68.130 is present in a process in quantities greater than the threshold quantity listed in Table 1, then:		a process in quantities greater than the threshold	40 CFR Part 68
	(a)		owner or operator shall comply with the isions in 40 CFR Part 68.	
	(b)		owner or operator shall submit one of the wing:	
		(1)	A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR Part 68 § 68.10(a) or,	
		(2)	A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan.	
<b>27</b> .	<u>Disp</u>	lay of	Permit	
	at th locat	ie site ted and	t shall be kept under file or on display at all times where the facility for which the permit is issued is d will be made readily available for inspection by persons who may request to see it.	Rule 335-3-1401(1)(c
28.	Circ	umvei	<u>ntion</u>	
	any redu conc	device ection i ceals or	shall cause or permit the installation or use of or any means which, without resulting in n the total amount of air contaminant emitted, r dilutes any emission of air contaminant which erwise violate the Division 3 rules and regulations.	Rule 335-3-110

Fede	rally l	Enforceable Provisos	Regulations
29.	Visible Emissions		
	this discluding than sour emis	ess otherwise specified in the Unit Specific provisos of permit, any source of particulate emissions shall not harge more than one 6-minute average opacity greater 20% in any 60-minute period. At no time shall any ree discharge a 6-minute average opacity of particulate esions greater than 40%. Opacity will be determined by EFR Part 60, Appendix A, Method 9, unless otherwise ified in the Unit Specific provisos of this permit.	Rule 335-3-401(1)
30.	Fuel-Burning Equipment		
	(a)	Unless otherwise specified in the Unit Specific provisos of this permit, no fuel-burning equipment may discharge particulate emissions in excess of the emissions specified in Rule 335-3-403.	Rule 335-3-403
	(b)	Unless otherwise specified in the Unit Specific provisos of this permit, no fuel-burning equipment may discharge sulfur dioxide emissions in excess of the emissions specified in Rule 335-3-501.	Rule 335-3-501
31.	Proc	ess Industries – General	
	Unless otherwise specified in the Unit Specific provisos of this permit, no process may discharge particulate emissions in excess of the emissions specified in Rule 335-3-404.		Rule 335-3-404
<b>32</b> .	Averaging Time for Emission Limits		
	for t	ess otherwise specified in the permit, the averaging time the emission limits listed in this permit shall be the inal time required by the specific test method.	Rule 335-3-105

# **Summary Page for Vapor Degreasers**

**Permitted Operating Schedule:** 24 Hrs/day x 7 Days/week x 52 Weeks/yr = 8760 Hrs/yr

#### **Emission limitations:**

Emission Point #	Description	Pollutant	Emission limit	Regulation
#7	Batch Vapor Degreaser #7	VOC	N/A	N/A
#8	Batch Vapor Degreaser #8	VOC	N/A	N/A

# **Provisos for Vapor Degreasers**

Federally Enforceable Provisos	Regulations
Applicability	
1. This source is subject to the applicable requirements of ADEM Admin. Code R. 335-3-1603, "Major Source Operating Permits."	Rule 335-3-1603
Emission Standards	
1. This Source is subject to no additional emission standards other than those listed in the General Permit Provisos.	N/A
Compliance and Performance Test Methods and Procedures	
1. This Source is subject to no additional specific requirements other than those listed in the General Permit Provisos.	N/A
Emission Monitoring	
1. This Source is subject to no additional emissions monitoring requirements other than those listed in the General Permit Provisos.	N/A
Recordkeeping and Reporting Requirements	
<ol> <li>This Source is subject to no additional recordkeeping and reporting requirements other than those listed in the General Permit Provisos.</li> </ol>	N/A

# **Summary Page for Surface Coating Operations**

**Permitted Operating Schedule:** 24 Hrs/day x 7 Days/week x 52 Weeks/yr = 8760 Hrs/yr

#### **Emission limitations:**

Emission Point #	Description	Pollutant	Emission limit	Regulation
#1	RDF Paint Booth w/airless spray	VOC	N/A	N/A
#1	RDF Paint Booth w/airless spray	PM	N/A	N/A
#1	RDF Paint Booth w/airless spray	HAPs	0.31 kg (2.6 lb) organic HAPs per liter (gal) coating solids	MACT 40 CFR Part 63 Subpart MMMM
#4	Small Tank Prime & Finish paint Booth w/airless spray	VOC	N/A	N/A
#4	Small Tank Prime & Finish paint Booth w/airless spray	PM	N/A	N/A
#4	Small Tank Prime & Finish paint Booth w/airless spray	HAPs	0.31 kg (2.6 lb) organic HAPs per liter (gal) coating solids	MACT 40 CFR Part 63 Subpart MMMM
#5	Hi Bay Paint Booth w/airless spray	VOC	N/A	N/A
#5	Hi Bay Paint Booth w/airless spray	PM	N/A	N/A
#5	Hi Bay Paint Booth w/airless spray	HAPs	0.31 kg (2.6 lb) organic HAPs per liter (gal) coating solids	MACT 40 CFR Part 63 Subpart MMMM
F-LTSC	Outside Tank Surface Coating Operation	VOC	N/A	N/A
F-LTSC	Outside Tank Surface Coating Operation	PM	N/A	N/A
F-LTSC	Outside Tank Surface Coating Operation	HAPs	0.31 kg (2.6 lb) organic HAPs per liter (gal) coating solids	MACT 40 CFR Part 63 Subpart MMMM
RB-1	Repair Shop Surface Coating Operation	VOC	N/A	N/A
RB-1	Repair Shop Surface Coating Operation	PM	N/A	N/A
RB-1	Repair Shop Surface Coating Operation	HAPs	0.31 kg (2.6 lb) organic HAPs per liter (gal) coating solids	MACT 40 CFR Part 63 Subpart MMMM

# **Provisos for Surface Coating Operations**

Fe	derally Enforceable Provisos	Regulations
	Applicability	
1.	This source is subject to the applicable requirements of ADEM Admin. Code R. 335-3-1603, "Major Source Operating Permits."	Rule 335-3-1603
2.	This source is subject to the applicable requirements of 40CFR Part 63 Subpart MMMM, "National Emission Standards for Hazardous Air Pollutants for Surface Coating of Miscellaneous Metal Parts and Products".	40CFR Part 63 Subpart MMMM
3.	This source is subject to the applicable requirements of Subpart A of 40 CFR Part 63, "General Provisions" as listed in Table 2 of Subpart MMMM.	40CFR Part 63 Subpart A and MMMM.
	Emission Standards	
1.	The facility shall limit organic HAP emissions to no more than $0.31~\mathrm{kg}$ (2.6 lb) organic HAPs per liter (gal) coating solids used during each 12 month compliance period.	40CFR 63.3890(b)(1)
	Compliance and Performance Test Methods and Procedures	
1.	These units are subject to 40 CFR Part 63 Subpart MMMM to include compliance and test methods in 63.3960(b).	40CFR 63.3960(b)
	Emission Monitoring	
1.	The filter system associated with these sources shall be inspected at least on an annual basis to ensure maintenance is performed in such a manner as to minimize the emissions of particulate matter.	Rule 335-3-1605(c)
	Recordkeeping and Reporting Requirements	
1.	Records of the required filter inspections, along with records of any maintenance perform on the filter(s) shall be kept in a form suitable for inspection for at least five years following the date of generation of the record.	Rule 335-3-1605(c)
2.	The permitee shall submit semiannual compliance reports for each affected source according to the requirements of 40 CFR 63.3920.	40CFR 63.3920(a)

Federally Enforceable Provisos	Regulations
3. These units are subject to 40 CFR 63 Subpart MMMM to	40CFR 63.3920(a),
include the recordkeeping and reporting in 40 CFR 63.3920(a), 63.3930(a-e), 63.3931(a&b), and 63.3942(b&c).	63.3930(a-e),
	63.3931(a&b),
	63.3942(b&c)
4. The records from the facility operation must be in a form suitable and readily available for expeditious review. Where appropriate, the records may be maintained as electronic spreadsheets or as a database. The records must be kept for 5 years following the date of each occurrence, measurement, maintenance, corrective action, report, or record.	40CFR 63.3931(a) & 63.3931(b)

# **Summary Page for Wheelabrator Shotblast**

**Permitted Operating Schedule:** 24 Hrs/day x 7 Days/week x 52 Weeks/yr = 8760 Hrs/yr

#### **Emission limitations:**

Emission Point #	Description	Pollutant	Emission limit	Regulation
#9	Wheelabrator Shotblast with Baghouse	PM	E = 3.59*P <sup>0.62</sup>	Rule 335-3-404(1)
#9	Wheelabrator Shotblast with Baghouse	Opacity	See General Proviso 29	Rule 335-3-401(1)

# **Provisos for Wheelabrator Shotblast**

Federally Enforceable Provisos	Regulations
Applicability	
1. This source is subject to the applicable requirements of ADEM Admin. Code R. 335-3-1603, "Major Source Operating Permits."	Rule 335-3-1603
Emission Standards	
1. This Source is subject to no additional specific requirements other than those listed in the General Permit Provisos.	N/A
Compliance and Performance Test Methods and Procedures	
1. Method 5 of 40 CFR Part 60, Appendix A shall be used in the determination of particulate emissions from the stack.	Rule 335-3-105
2. Method 9 of 40 CFR (latest Edition) Part 60, Appendix A shall be used in the determination of the opacity of the stack emissions.	Rule 335-3-104
Emission Monitoring	
1. Weekly visual observations of the stack associated with this unit (while the unit are in operation) shall be conducted by personnel familiar with Method 9 of 40 CFR Part 60, Appendix A. If any visible emissions are observed, personnel certified in accordance with Method 9 of 40 CFR Part 60, Appendix A shall observe the emissions within two hours of the initial observation. If the observer certified in accordance with Method 9 of 40 CFR Part 60, Appendix A determines the emissions have opacity of 10% or greater as determined by Method 9 of 40 CFR 60, Appendix A, the facility shall investigate and initiate any necessary corrective actions within 4 hours. After any corrective actions, an additional observation by personnel certified in accordance with Method 9 of 40 CFR 60, Appendix A shall be performed in order to verify that visible emissions have been reduced. In the event that a week goes by without the operation of this source, a weekly visual inspection shall not be required.	

Federally Enforceable Provisos	Regulations
Recordkeeping and Reporting Requirements	
1. The source shall maintain a record of all inspections performed to satisfy the requirements of periodic monitoring. This shall include all problems observed and corrective actions taken. Each record shall be maintained for a period of 5 years.	Rule 335-3-1605(c)(2)